


Special Immigration Procedure at Incheon airport

- Arrival terminals dedicated to **inbound travelers from overseas** are being operated to **Check their body temperature** and **verify on-site whether their domestic contact information is genuine** as well as **confirm their location of residence** and **history of travel** using the health condition questionnaire and special quarantine declaration.
- All inbound travelers are required to **submit their self-diagnosis results via the self-diagnosis application for 14 days and to be put under intensive management (KCDC and local governments) if they show symptoms.** Those failing to submit their self-diagnosis results **will be contacted and tracked continuously.**
- Submit **a negative result of Covid-19 issued within 72 hours** from the departure date at the airport
*Refrain from going out after the last Covid-test



How to get to GIST

- In order to prevent the spread of COVID-19, travelers from overseas are required to take transportation supported by the KCDC to get to their regions.
- Once you finish the Special Immigration Procedure at the arrival terminal, staffs of KCDC or Gwangju will guide you to take the airport shuttle from Incheon airport to Gwangmyeong Station and ride the designated KTX train to Gwangju Songjeong Station .

Shuttle to Train

(* Shuttle Bus : In front of Gates 12 & 13 (1F), Terminal 1 / Bus terminal(B1F) at Transportation Center, Terminal 2)



Gwangju

- After you reach at Gwangju Songjeong Station, officers of Gwangju will guide you to take a city bus to move to the May 18 education center to have two different types of inspections. The rapid test result would come out within 30 min and if the result is negative, you can enter GIST by using the city hall vans.

The other test result would be announced the next day morning.

※ Please contact me(Ms Jisoo Moon T. 062-715-6256 / H.P. 010-2002-4221) before you move to the May 18 edu center center so that we can avoid any confusion for quarantine

- Once you get to GIST main gate, you must keep the self-isolation period for 14 days .

Self-Quarantine Guideline

■ Get to GIST

- Take a Gwnagju city hall van and get off at the main gate of GIST.
- Once you reach at the main gate, the guard of GIST will guide you enter the International Hall building(E7) where you will be quarantined.

■ Check-in & Meal Services

- Pick up your room key after filling out the GIST health condition questionnaire
- Room furnished with bed (frame & mattress), desk, air-conditioner
- Dorm doesn't provide towels, personal toiletries and bathroom tissues.
- Each room is given unique IP address & Default Gateway for internet setup.
- Three times meal will be served while you're quarantined.

Emergency contact: Ms. Minseo Park(062-715-2913) @ Section of General Affairs

■ Health Issues

- Contact the GIST Safety Team if you have any health related issues.

* (+) Fever(37.5C or higher) or respiratory symptoms(coughing, throat pains)

Emergency contact: Ms. Nankyung Kim(062-715-2107) @ Section of Safety and Security

[영문]

Announcement on Self-Quarantine Requirements

The government of the Republic of Korea has strengthened quarantine measures on entrants from overseas in order to detect COVID-19 cases early and to prevent the spread of the virus. We ask for your cooperation in the following rules and regulations.

All travelers entering the Republic of Korea from overseas are required to abide by the directions of the public health authorities while remaining at the government-designated area. For inquiries, call the Korea Centers for Disease Control and Prevention (1339 without area code) or the Immigration Contact Center (1345 without area code).

Please note that failure to comply with health authority's orders such as self-quarantine, testing, treatment for COVID-19 or leaving (changing) the designated place of self-quarantine without prior approval will result in monetary penalties, revocation of visa and permission of stay, and can lead to deportation and disadvantages in matters of re-entry into the ROK in the future.



Self-quarantine guidelines



Do not leave the quarantine area to prevent the spread of disease.

※ We ask those subject to self-isolation to comply with quarantine measures to prevent the spread of infection in accordance with the "Infectious Disease Control and Prevention Act."

* Under Article 79-3 (Penalty Provisions), a violator could be subject to imprisonment for not exceeding one year or a fine of up to KRW 10 million.



Stay alone in an isolated area.

- Keep the door closed and open the window frequently to ventilate. • Eat by yourself.
- If possible, use a separate bathroom and sink.
(Shared bathroom and sink should be disinfected with a home disinfectant such as chlorine bleach after use.)



If you need to leave the area for an inevitable reason such as treatment, you must contact the local health center (Officer in charge) first.



Avoid contact with family members or cohabiters. (speaking, etc.)

- If inevitable, do not face each other, wear masks, and keep at least 2m distance.



Use personal items separately. (personal towel, tableware, mobile phone, etc.)

- Wash clothes and bedding of suspected infectee separately from others'
- Separate tableware, so others don't use it before it is cleaned.



Comply with the health guidelines.

- Comply with personal hygiene recommendations (washing hands, sanitizing, etc.) • Wear a mask when coughing.
- If you don't have a mask, cover your mouth and nose with your sleeve, and wash or sanitize hands after coughing or sneezing.

During the active monitoring period, your local public health center will contact you for symptoms, etc. Please maintain self-monitoring for 14 days from the date of contact with a diagnosed infectee.

Self-monitoring method

- ✔ Monitor your health conditions for any symptoms of infection such as respiratory symptoms
 - ✔ Take the temperature every morning and evening
- ✔ Inform the public health center of your symptoms when they contact you once or more a day

Major Symptoms of COVID-19

- ✔ Fever (over 37.5 °C) ✔ malaise ✔ Sore throat ✔ Respiratory symptoms (cough, difficulty in breathing, etc.) ✔ Pneumonia